

DESCAPREN 150

0,50 mm² - 150,00 mm²

Halogen-free stranded wires 150°C

Colour code								
0,50 mm²	black	light blue	green-yellow	brown	grey	dark blue	red	white
Spool 200 m	112720	112724	112728	112732	112736	112740	112744	112748
Barrel 4500 m	112722	112726	112730	112734	112738	112742	112746	112750
	green	orange	violet	yellow	rose			
Spool 200 m	112752	112756	112760	112764	112768			
Barrel 4500 m	112754	112758	112762	112766	112770			
0,75 mm²	black	light blue	green-yellow	brown	grey	dark blue	red	white
Spool 100 m	112790	112794	112798	112802	112806	112810	112814	112818
Barrel 3500 m	112792	112796	112800	112804	112808	112812	112816	112820
	green	orange	violet	yellow	rose			
Spool 100 m	112822	112826	112830	112834	112838			
Barrel 3500 m	112824	112828	112832	112836	112840			
1,00 mm²	black	light blue	green-yellow	brown	grey	dark blue	red	white
Spool 100 m	112860	112864	112868	112872	112876	112880	112884	112888
Barrel 3000 m	112862	112866	112870	112874	112878	112882	112886	112890
	green	orange	violet	yellow	rose			
Spool 100 m	112892	112896	112900	112904	112908			
Barrel 3000 m	112894	112898	112902	112906	112910			
1,50 mm²	black	light blue	green-yellow	brown	grey	dark blue	red	white
Spool 100 m	112930	112934	112938	112942	112946	112950	112954	112958
Barrel 2000 m	112932	112936	112940	112944	112948	112952	112956	112960
	green	orange	violet	yellow	rose			
Spool 100 m	112962	112966	112970	112974	112978			
Barrel 2000 m	112964	112968	112972	112976	112980			
2,50 mm²	black	light blue	green-yellow	brown	grey	dark blue	red	white
Spool 100 m	113000	113004	113008	113012	113016	113020	113024	113028
Barrel 1500 m	113002	113006	113010	113014	113018	113022	113026	113030
	green	orange	violet	yellow	rose			
Spool 100 m	113032	113036	113040	113044	113048			
Barrel 1500 m	113034	113038	113042	113046	113050			
4,00 mm²	black	light blue	green-yellow	brown	grey	dark blue	red	white
Coil 100 m	113070	113074	113078	113082	113086	113090	113094	113098
Drum	113071	113075	113079	113083	113087	113091	113095	113099
	green	orange	violet	yellow	rose			
Coil 100 m	113102	113106	113110	113114	113118			
Drum	113103	113107	113111	113115	113119			
6,00 mm²	black	light blue	green-yellow	brown	grey	dark blue	red	white
Coil 100 m	113140	113144	113148	113152	113156	113160	113164	113168
Drum	113141	113145	113149	113153	113157	113161	113165	113169
	green	orange	violet	yellow	rose			
Coil 100 m	113172	113176	113180	113184	113188			
Drum	113173	113177	113181	113185	113189			
10,00 mm²	black	light blue	green-yellow	brown	grey			
Coil 100 m	113210	113212	113214	113216	113218			
Drum	113211	113213	113215	113217	113219			
16,00 mm²	black	light blue	green-yellow	brown	grey			
Coil 100 m	113240	113242	113244	113246	113248			
Drum	113241	113243	113245	113247	113249			
25,00 mm²	black	light blue	green-yellow	brown	grey			
Drum	113265	113266	113267	113268	113269			
35,00 mm²	black	light blue	green-yellow	brown	grey			
Drum	113280	113281	113282	113283	113284			
50,00 mm²	black	light blue	green-yellow	brown	grey			
Drum	113290	113291	113292	113293	113294			

on request

DESCAPREN F (temperature range -40°C ... + 155°C)

DESCAPREN 150

0,50 mm² - 150,00 mm²

Halogen-free stranded wires 150°C

Colour code					
70,00 mm²	black	light blue	green-yellow	brown	grey
Drum	113390	113391	113392	113393	113394
95,00 mm²	black	light blue	green-yellow	brown	grey
Drum	113400	113401	113402	113403	113404
120,00 mm²	black	light blue	green-yellow	brown	grey
Drum	113410	113411	113412	113413	113414
150,00 mm²	black	light blue	green-yellow		
Drum	113420	113421	113422		

on request

DESCAPREN F (temperature range -40°C ... + 155°C)